

# Meanwell SMPS



S.NO	Model	Watts	Amp.	Dimm (mm) LxWxH	I/P Voltage	Approvals
<b>24 VOLTS DC – MODELS / SUPER COMPACT NES / RS SERIES</b>						
1	NES-15-24	15	0.7	78x51x28	85-264V AC / 120-370V DC	UL/TUV/CB/CE
2	NES-25-24	25	1.1	99x82x35	85-264V AC / 120-370V DC	UL/TUV/CB/CE
3	NES-35-24	35	1.5	99x97x36	85-264V AC / 120-370V DC	UL/TUV/CB/CE
4	NES-50-24	50	2.2	129x98x38	85-264V AC / 120-370V DC	UL/TUV/CB/CE
5	S-60-24	60	2.5	159x97x38	85-264V AC / 120-370V DC	UL/CUL/TUV/CB/CE
6	NES-75-24	75	3.2	159x97x38	85-264V AC / 120-370V DC	UL/TUV/CB/CE
7	NES-100-24	100	4.5	159x97x38	115/230VAC	UL/TUV/CB/CE
8	NES-150-24	150	6.5	199x98x38	115 / 230 V AC	UL/TUV/CB/CE
9	NES-200-24	200	8.8	215x115x50	90-132 / 180-264 V AC	UL
10	S-250-24	250	10	150x140x86	90-132 / 176-264 V AC	UL
11	NES-350-24	350	14.6	215x115x50	90-132 / 180-264 V AC	UL
12	SP-240-24	240	10	190x93x50	88-264V AC / 124-370V DC	UL/CUL/TUV/CB/CE
13	SP-320-24	320	13	215x115x50	88-264V AC	UL/TUV/CB/CE
14	SP-500-24	500	20	170x120x93	88-264V AC / 124-370V DC	UL/CUL/TUV/CB/CE
15	SE-600-24	600	25	247x127x63.5	90-132 / 180-264V AC	UL
16	PSP-600-24	600	25	170x120x93	88-264V AC	UL/CUL/TUV/CB/CE
17	SP-750-24	750	31.3	278x127x63.5	90-264V AC	UL/CUL/TUV/CB/CE
18	SE-1000-24	1000	41.7	278x127x63.5	90-132 / 180-264V AC	UL
19	SE-1500-24	1500	62.5	278x177.8x63.5	180 - 264V AC	UL
<b>RS SERIES</b>						
1	RS-25-3.3	25	6	78x51x28	88-264V AC / 125-373V DC	UL/TUV/CB/CE
2	RS-25-24	25	1.1	78x51x28	88-264V AC / 125-373V DC	UL/TUV/CB/CE
3	RS-100-24	100	4.5	159x97x38	88-264V AC / 124-370V DC	UL/TUV/CB/CE
<b>12 VOLTS DC OUTPUT – MODELS / SUPER COMPACT NES SERIES</b>						
1	NES-15-12	15	1.3	78x51x28	85-264V AC / 120-370V DC	UL/TUV/CB/CE
2	NES-25-12	25	2.1	99x82x35	85-264V AC / 120-370V DC	UL/TUV/CB/CE
3	NES-35-12	35	3	99x97x36	85-264V AC / 120-370V DC	UL/TUV/CB/CE
4	NES-50-12	50	4.2	129x98x38	85-264V AC / 120-370V DC	UL/TUV/CB/CE
5	S-60-12	60	5	159x97x38	85-264V AC / 120-370V DC	UL/CUL/TUV/CB/CE
6	NES-100-12	100	8.5	159x97x38	85-132 /176-264V AC	UL/TUV/CB/CE
7	NES-150-12	150	12.5	199x98x38	90-132V AC / 180-264V AC	UL/TUV/CB/CE
8	S-201-12	201	16.5	215x115x50	90-132 / 180-264V DC	UL
9	S-250-12	250	18	150x140x86	90-132VAC / 176-264VAC	UL
10	SP-240-12	240	20	190x93x50	88-264V AC / 124-370V DC	UL/CUL/TUV/CB/CE
11	SP-320-12	320	25	215x115x50	88-264V AC	UL/TUV/CB/CE
12	NES-350-12	350	29	215x115x50	90-132V AC / 180-264 V AC	UL
13	SP-500-12	500	40	170x120x93	88-264V AC / 124-370V DC	UL/CUL/TUV/CB/CE
14	SE-600-12	600	50	247x127x63.5	90-132VAC / 180-264VAC	UL
15	SE-1000-12	1000	83.3	278x127x63.5	90-132VAC / 180-264VAC	UL
16	SE-1500-12	1500	125	278x177.8x63.5	180-264V AC	UL
<b>15 VOLTS DC OUTPUT – MODELS / SUPER COMPACT NES SERIES</b>						
1	NES-15-15	15	1	78x51x28	85-264V AC / 120-370V DC	UL/TUV/CB/CE
2	NES-25-15	25	1.7	99x82x35	85-264V AC / 120-370V DC	UL/TUV/CB/CE

# Meanwell SMPS



S.NO	Model	Watts	Amp.	Dimm (mm) LxWxH	I/P Voltage	Approvals
3	NES-35-15	35	2.4	99x97x36	85-264V AC / 120-370V DC	UL/TUV/CB/CE
4	NES-50-15	50	3.4	129x98x38	85-264V AC / 120-370V DC	UL/TUV/CB/CE
5	NES-100-15	100	7	159x97x38	85-132V AC / 176-264V AC	UL/TUV/CB/CE
6	NES-150-15	150	10	199x98x38	90-132V AC / 180-264V AC	UL/TUV/CB/CE
7	S-250-15	250	15	150x140x86	90-132V AC / 176-264V AC	UL
8	S-350-15	350	23.2	215x115x50	90-132V AC / 180-264V AC	UL
9	NES-350-15	350	23.2	215x115x50	90-132V AC / 180-264V AC	UL
10	SP-500-15	500	32	170x120x93	88 - 264V AC / 124-370VDC	UL/CUL/TUV/CB/CE
11	SE-600-15	600	40	247x127x63.5	90-132V AC / 180-264V AC	UL
12	SE-1000-15	1000	66.7	278x127x63.5	90-132V AC / 180-264V AC	UL
13	SE-1500-15	1500	100	278x177.8x63.5	180-264V AC	UL
<b>5 VOLTS MODELS / SUPER COMPACT NES SERIES</b>						
1	NES-15-5	15	3	78x51x28	85-264V AC / 120-370V DC	UL/TUV/CB/CE
2	NES-25-5	25	5	99x82x35	85-264V AC / 120-370V DC	UL/TUV/CE
3	NES-35-5	35	7	99x98x38	85-264V AC / 120-370V DC	UL/CUL/TUV/CB/CE
4	NES-50-5	50	10	129x98x38	85-264V AC / 120-370V DC	UL/CUL/TUV/CB/CE
5	S-60-5	60	12	159x97x38	85-264V AC / 120-370V DC	UL/CUL/TUV/CB/CE
6	NES-100-5	100	20	159x97x38	85-132V AC / 176-264V AC	UL/TUV/CB/CE
7	NES-150-5	150	26	199x98x38	90-132V AC / 180-264V AC	UL/CUL/TUV/CB/CE
8	S-250-5	250	40	150x140x86	90-132V AC / 176-264V AC	UL
9	NES-350-5	350	60	215x115x50	90-132V AC / 180-264V AC	UL
10	SE-600-5	600	100	247x127x63.5	90-132V AC / 180-264V AC	UL
11	SE-1000-5	1000	150	278x127x63.5	90-132V AC / 180-264V AC	UL
12	SE-1500-5	1500	300	278x177.8x63.5	180-264V AC	UL
<b>48 VOLTS MODELS</b>						
1	NES-100-48	100	2.3	159x97x38	85-132V AC / 176-264V AC	UL/CUL/TUV/CB/CE
2	S-250-48	250	5.2	150x140x86	90-132V AC / 176-264V AC	UL
3	NES-350-48	350	7.3	215x115x50	90-132V AC / 180-264V AC	UL
4	SP-500-48	500	10	170x120x93	88 - 264V	UL/CUL/TUV/CB/CE
5	SE-600-48	600	12.5	247x127x63.5	90-132V AC / 180-264V AC	UL
6	SE-1000-48	1000	20.8	278x127x63.5	90-132V AC / 180-264V AC	UL
7	SE-1500-48	1500	31.3	278x177.8x63.5	180-264V AC	UL
<b>DIN RAIL MOUNTED MODELS</b>						
1	MDR-20-24	20	1	100x90x22.5	85-264V AC / 120-370V DC	UL/CUL/TUV/CB/CE
2	MDR-40-24	40	1.7	100x90x40	85-264V AC / 120-370V DC	UL/CUL/TUV/CB/CE
3	MDR-60-24	60	2.5	100x90x40	85-264V AC / 120-370V DC	UL/CUL/TUV/CB/CE
4	MDR-100-24	100	4	90x55x100	85-264V AC / 120-370V DC	UL/CUL/TUV/CB/CE
5	DR-30-12	30	2	93x56x78	85-264V AC / 120-370V DC	UL/TUV/CB/CE
6	DR-30-24	30	1.5	93x56x78	85-264V AC / 120-370V DC	UL/TUV/CB/CE
7	DR-45-05	45	5	93x67x78	85-264V AC	UL/CUL/TUV/CB/CE
8	DR-45-12	45	3.5	93x67x78	85-264V AC	UL/CUL/TUV/CB/CE
9	DR-45-15	45	2.8	93x67x78	85-264V AC	UL/CUL/TUV/CB/CE
10	DR-45-24	45	2	93x67x78	85-264V AC	UL /CUL/TUV/CB/CE
11	DR-75-24	75	3.2	125.2x55.5x100	85-264V AC	UL/CUL/TUV/CB/CE

# Meanwell SMPS



S.NO	Model	Watts	Amp.	Dimm (mm) LxWxH	I/P Voltage	Approvals
12	DR-120-12	120	10	125.2x65.5x100	90-132V AC	UL /CUL/TUV/CB/CE
13	DR-120-24	120	5	125.2x65.5x100	88-132V AC / 176-64V AC	UL /CUL/TUV/CB/CE
14	DRP-240-24	240	10	125.2x125.5x100	85-264V AC	UL /CUL/TUV/CB/CE
15	DRP-480-24	480	20	125.2x227x100	180 - 264V AC	UL /CUL/TUV/CB/CE
16	DRP-480-48	480	10	125.2x227x100	180-264V AC	UL /CUL/TUV/CB/CE
<b>DIN RAIL THREE PHASE SERIES (3 phase input but 2 phase operation also possible)</b>						
1	DRT-240-24	240	10	125.2x125.5x100	340-550V AC / 3 Phase	UL/CUL/TUV/CB/CE
2	DRT-480-24	480	20	125.2x227x100	340-550V AC / 3 Phase	UL/CUL/TUV/CB/CE
3	DRT-480-48	480	10	125.2x227x100	340-550V AC / 3 Phase	UL/CUL/TUV/CB/CE
4	DRT-960-24	960	40	125.2x276x100	340-550V AC / 3 Phase	UL/CUL/TUV/CB/CE
<b>DUAL, TRIPLE &amp; FOUR OUTPUT MODELS</b>						
1	NED-35A	35	+5V / 4A	99x97x36	85-264V AC /	UL/TUV/CB/CE
			+12V / 1A		120-370V DC	
2	NED-35B	35	+5V / 2.2A	99x97x36	85-264V AC /	UL/TUV/CB/CE
			+24V / 1A		120-370V DC	
3	NED-100D	100	+24V / 3.5A	199x98x38	85-264V AC /	UL/CUL/TUV/CB/CE
			+5V / 3A		120-370V DC	
4	D-60A	60	+5V / 4A	159x97x38	85-264V AC /	UL/CUL/TUV/CB/CE
			+12V / 3A		120-370V DC	
5	D-60B	60	+5V / 3A	159x97x38	85-264V AC/	UL/CUL/TUV/CB/CE
			+24V / 1.8A		120-370V DC	
6	D-120A	120	+5V / 12A	119x110x50	88-132VAC/	UL/CUL/TUV/CB/CE
			+12V / 5A		176-264VAC	
7	D-120B	120	+5V / 6A	50x110x199	88-132VAC/	UL/CUL/TUV/CB/CE
			+24 V / 4A		176-264VAC	
8	T-30B	30	+5V / 3A	129x98x38	85-132VAC /	--
			+12V / 1A		170-264VAC	
			-12V / 0.5A			
9	T-40B	40	+5V / 5A	129x98x38	85-264V AC /	UL/CUL/TUV/CB/CE
			+12V / 3A		120-370V DC	
			-12V / 1A			
10	T-60A	60	+5V / 5A	159x97x38	85-264V AC /	
			+12V / 2.5A		120-370V DC	
			-5V / 0.5A			
11	T-60B	60	+5V / 5A	159x97x38	85-264V AC /	UL/CUL/TUV/CB/CE
			+12V / 2.5A		120-370V DC	
			-12V / 0.5A			
12	T-60C	60	+5V / 5A	159x97x38	85-264V AC /	UL/CUL/TUV/CB/CE
			+15V / 2A		120-370V DC	
			-15V / 0.5A			
13	T-120B	120	+5V / 11A	50x110x199	88 - 132VAC/	UL/CUL/TUV/CB/CE
			+12 V / 4.5A		176 - 264VAC	
			-12V / 1A			

# Meanwell SMPS

S.NO	Model	Watts	Amp.	Dimm (mm) LxWxH	I/P Voltage	Approvals
14	T-120C	120	+5V / 10A	50x110x199	88 - 132VAC/	UL/CUL/TUV/CB/CE
			+15 V / 3.5A		176 - 264VAC	
			-15V / 1A			
15	Q-60B	60	+5V / 5.5A	159x97x38	90-264V AC /	UL/CUL/TUV/CB/CE
			+12V / 2A		127-370V DC	
			-5V / 0.5A			
			-12V / 0.5A			
16	Q-60D	60	+5V / 4A	159x97x38	90-264V AC /	UL/CUL/TUV/CB/CE
			+12V / 1A		120-370V DC	
			+24V / 1A			
			-12V / 0.5A			
17	Q-120B	120	+5V / 11A	50x110x199	85-264V AC	UL/CUL/TUV/CB/CE
			+12V / 4A		120-370V DC	
			-5V / 1A			
			-12V / 1A			
18	Q-120D	120	+5V / 8A	50x110x199	85-264V AC	UL/CUL/TUV/CB/CE
			+12V / 2A		120-370V DC	
			+24V / 2A			
			-12V / 1A			
19	Q-250D	250	+5V / 10A	150x140x86	90-264V AC	UL
			+12V / 5A		120-370V DC	
			+24V / 5A			
			-12V / 1A			